






SLIDE

Slide Bumper for dock level


Double bumper in epdm rubber

Balanced spring



Slide is the flowing solution to replace traditional fixed bumper. Moving along the sliding axis amortizes the main stresses transmitted by the medium approached to the bumper during the phases of loading and unloading. The positive and negative excursion reduces abrasion differently from fixed bumper. A modular design allows easy maintenance and replacement of any parts.

New!






Notes

- 1 Armored base to bolt to the wall.
- 2 Mobile support for double bumper.
- 3 Racommended optional removable steel.

Gray color ral 7016

Mini video on our web site




ARMORED BUMPER

Made of galvanized steel
Removable cover


art.



Base corazzata , in lamiera zincata di grosso spessore .
Fissaggio a tassellare su banchina in c.a. o a saldare su dock box.



Tampone in gomma epdm anti invecchiamento . Da avvitare alla base corazzata . Rimovibile per sostituzione quando usurato.



Corazza in lamiera zincata , da avvitare alla base , protegge il tampone dagli urti laterali . Facilmente rimovibile.

The standard dock leveler bumper is strengthened with a metal shield.
The standard bumper is placed inside a sturdy metal case that protects it from knocks side, top and bottom.
The bumper protrudes only 20 mm. The protective cover is removable.

New!

The bumper versions SLIDE and ARMORED are proposed to replace the standard bumper that normally accompanies our dock levellers. The standard bumper is normally pre-installed on the dock level, the two versions are provided with optional mounting anchor bolts or welding. They are loose supplied.

..... Since 1927 many products for industry

Many coordinates and complementary solutions to close, isolate, separate environments contiguous and ensure safe operation of cargo handling.
Find out on our website the full range of our production.



Sacil Hlb srl

12 Marmolada street
-Cusano M.no - Italy
Phone 02-66402507
Fax 02 66401649



Sacil Hlb srl

www.sacil-hlb.com
info@sacil-hlb.it
ucommerciale@sacil-hlb.it



Area social

Follow us on our
facebook page

